

AUG 11 2004
PATENT & TRADEMARK OFFICE 21

BEST AVAILABLE COPY

Figure 1





Figure 2









Figure 3

Figure 4




Figure 5




Figure 6

A. Ischemic Leg- Injection of UCB-derived EPC B. Ischemic Leg- Injection of Culture Medium




Figure 7




Figure 8




Figure 9




Figure 10






Figure 11


A



C



B



D




Figure 12




Figure 13




Figure 14




Figure 15







Figure 16



A. HUVECs on 1% gelatin coated plate.



B. HUVECs in Vitrogen 3D collagen gel



C. Dil stained hMSCs 1 hour after addition to HUVECs in 3D collagen gel.



D. Dil stained hMSCs 72 hours after addition to HUVECs in 3D collagen gel.

Figure 17





Figure 18



**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.